

Hedera helix

Studies

HEDERA HELIX DATABASE

- 1: [Cianchino V, Ortega C, Acosta G, Martinez LD, Gomez MR.](#)
Fingerprint analysis and synthetic adulterant search in Hedera helix formulations by capillary electrophoresis.
Pharmazie. 2007 Apr;62(4):262-5.
PMID: 17484280 [PubMed - indexed for MEDLINE]
- 2: [Guy JE, Whittle E, Kumaran D, Lindqvist Y, Shanklin J.](#)
The crystal structure of the ivy u4 -16:0-ACP desaturase reveals structural details of the oxidized active site and potential determinants of regio-selectivity.
J Biol Chem. 2007 Apr 26; [Epub ahead of print]
PMID: 17463003 [PubMed - as supplied by publisher]
- 3: [Tremblay AE, Whittle E, Buist PH, Shanklin J.](#)
Stereochemistry of Delta4 dehydrogenation catalyzed by an ivy (Hedera helix) Delta9 desaturase homolog.
Org Biomol Chem. 2007 Apr 21;5(8):1270-5. Epub 2007 Mar 19.
PMID: 17406726 [PubMed - in process]
- 4: [Orlikowski LB, Trzewik A, Wiejacha K.](#)
Phytophthora tropicalis on Hedera helix and Epipremnum aureum in polish greenhouses.
Commun Agric Appl Biol Sci. 2006;71(3 Pt B):1167-70.
PMID: 17390874 [PubMed - in process]
- 5: [Eguale T, Tilahun G, Debella A, Feleke A, Makonnen E.](#)
Haemonchus contortus: In vitro and in vivo anthelmintic activity of aqueous and hydro-alcoholic extracts of Hedera helix.
Exp Parasitol. 2007 Aug;116(4):340-5. Epub 2007 Feb 2.
PMID: 17382320 [PubMed - in process]
- 6: [Lans C, Turner N, Khan T, Brauer G, Boepple W.](#)
Ethnoveterinary medicines used for ruminants in British Columbia, Canada.
J Ethnobiol Ethnomedicine. 2007 Feb 26;3:11.
PMID: 17324258 [PubMed - in process]



A service of the National Library of Medicine
and the National Institutes of Health

- 7:** [Hensel A, Deters AM, Muller G, Stark T, Wittschier N, Hofmann T.](#)
Occurrence of N-phenylpropenoyl-L-amino acid amides in different herbal drugs and their influence on human keratinocytes, on human liver cells and on adhesion of *Helicobacter pylori* to the human stomach.
Planta Med. 2007 Feb;73(2):142-50. Epub 2007 Feb 13.
PMID: 17295182 [PubMed - in process]
- 8:** [Santos S, Schreiber L, Graca J.](#)
Cuticular waxes from ivy leaves (*Hedera helix* L.): analysis of high-molecular-weight esters.
Phytochem Anal. 2007 Jan;18(1):60-9.
PMID: 17260699 [PubMed - indexed for MEDLINE]
- 9:** [Matekwor Ahulu E, Andoh H, Nonaka M.](#)
Host-related variability in arbuscular mycorrhizal fungal structures in roots of *Hedera rhombea*, *Rubus parvifolius*, and *Rosa multiflora* under controlled conditions.
Mycorrhiza. 2007 Mar;17(2):93-101. Epub 2006 Nov 17.
PMID: 17111164 [PubMed - indexed for MEDLINE]
- 10:** [Matekwor Ahulu E, Gollotte A, Gianinazzi-Pearson V, Nonaka M.](#)
Cooccurring plants forming distinct arbuscular mycorrhizal morphologies harbor similar AM fungal species.
Mycorrhiza. 2006 Dec;17(1):37-49. Epub 2006 Nov 15.
PMID: 17106725 [PubMed - indexed for MEDLINE]
- 11:** [Kemmerich B, Eberhardt R, Stammer H.](#)
Efficacy and tolerability of a fluid extract combination of thyme herb and ivy leaves and matched placebo in adults suffering from acute bronchitis with productive cough. A prospective, double-blind, placebo-controlled clinical trial.
Arzneimittelforschung. 2006;56(9):652-60.
PMID: 17063641 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine
and the National Institutes of Health

- 12:** [Yamazoe S, Hasegawa K, Shigemori H.](#)
Structure-activity relationship of acetylenes from galls of *Hedera rhombea* as plant growth inhibitors.
Z Naturforsch [C]. 2006 Jul-Aug;61(7-8):536-40.
PMID: 16989313 [PubMed - indexed for MEDLINE]

- 13:** [Mahillon V, Saussez S, Michel O.](#)
High incidence of sensitization to ornamental plants in allergic rhinitis.
Allergy. 2006 Sep;61(9):1138-40.
PMID: 16918519 [PubMed - indexed for MEDLINE]

- 14:** [Guo R, Pittler MH, Ernst E.](#)
Herbal medicines for the treatment of COPD: a systematic review.
Eur Respir J. 2006 Aug;28(2):330-8. Review.
PMID: 16880367 [PubMed - indexed for MEDLINE]

- 15:** [Fazio S, Pouso J, Dolinsky D, Fernandez A, Hernandez M, Clavier G, Hecker M.](#)
Tolerance, safety and efficacy of *Hedera helix* extract in inflammatory bronchial diseases under clinical practice conditions: A prospective, open, multicentre postmarketing study in 9657 patients.
Phytomedicine. 2006 Jul 20; [Epub ahead of print]
PMID: 16860549 [PubMed - as supplied by publisher]

- 16:** [Rogosic J, Estell RE, Skobic D, Martinovic A, Maric S.](#)
Role of species diversity and secondary compound complementarity on diet selection of Mediterranean shrubs by goats.
J Chem Ecol. 2006 Jun;32(6):1279-87. Epub 2006 May 31.
PMID: 16770718 [PubMed - indexed for MEDLINE]

- 17:** [Rogosic J, Estell RE, Skobic D, Martinovic A, Maric S.](#)
Role of Species Diversity and Secondary Compound Complementarity on Diet Selection of Mediterranean Shrubs by Goats.
J Chem Ecol. 2006 May 31; [Epub ahead of print]
PMID: 16739010 [PubMed - as supplied by publisher]



A service of the National Library of Medicine
and the National Institutes of Health

- 18:** [Forster WA, Zabkiewicz JA, Riederer M.](#)
Mechanisms of cuticular uptake of xenobiotics into living plants: evaluation of a logistic-kinetic penetration model.
J Agric Food Chem. 2006 Apr 19;54(8):3025-32.
PMID: 16608226 [PubMed - indexed for MEDLINE]

- 19:** [Gulcin I, Mshvildadze V, Gepdiremen A, Elias R.](#)
The antioxidant activity of a triterpenoid glycoside isolated from the berries of Hedera colchica: 3-O-(beta-D-glucopyranosyl)-hederagenin.
Phytother Res. 2006 Feb;20(2):130-4.
PMID: 16444666 [PubMed - indexed for MEDLINE]

- 20:** [Buechi S, Vogelín R, von Eiff MM, Ramos M, Melzer J.](#)
Open trial to assess aspects of safety and efficacy of a combined herbal cough syrup with ivy and thyme.
Forsch Komplementarmed Klass Naturheilkd. 2005 Dec;12(6):328-32. Epub 2005 Dec 22.
PMID: 16391481 [PubMed - indexed for MEDLINE]

- 21:** [Popp C, Burghardt M, Friedmann A, Riederer M.](#)
Characterization of hydrophilic and lipophilic pathways of Hedera helix L. cuticular membranes: permeation of water and uncharged organic compounds.
J Exp Bot. 2005 Nov;56(421):2797-806. Epub 2005 Sep 5.
PMID: 16143718 [PubMed - indexed for MEDLINE]

- 22:** [Gepdiremen A, Mshvildadze V, Suleyman H, Elias R.](#)
Acute anti-inflammatory activity of four saponins isolated from ivy: alpha-hederin, hederasaponin-C, hederacolchiside-E and hederacolchiside-F in carrageenan-induced rat paw edema.
Phytomedicine. 2005 Jun;12(6-7):440-4.
PMID: 16008120 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine
and the National Institutes of Health

- 23:** [Whittle E, Cahoon EB, Subrahmanyam S, Shanklin J.](#)
A multifunctional acyl-acyl carrier protein desaturase from *Hedera helix* L. (English ivy) can synthesize 16- and 18-carbon monoene and diene products.
J Biol Chem. 2005 Aug 5;280(31):28169-76. Epub 2005 Jun 6.
PMID: 15939740 [PubMed - indexed for MEDLINE]
- 24:** [Schreiber L, Krimm U, Knoll D, Sayed M, Auling G, Kroppenstedt RM.](#)
Plant-microbe interactions: identification of epiphytic bacteria and their ability to alter leaf surface permeability.
New Phytol. 2005 May;166(2):589-94.
PMID: 15819920 [PubMed - indexed for MEDLINE]
- 25:** [Hrastinger A, Dietz B, Bauer R, Sagraves R, Mahady G.](#)
Is there clinical evidence supporting the use of botanical dietary supplements in children?
J Pediatr. 2005 Mar;146(3):311-7. Review. No abstract available.
PMID: 15756210 [PubMed - indexed for MEDLINE]
- 26:** [Mshvildadze V, Elias R, Faure R, Rondeau D, Debrauwer L, Dekanosidze G, Kemertelidze E, Balansard G.](#)
Triterpenoid saponins from leaves of *Hedera pastuchowii*.
Chem Pharm Bull (Tokyo). 2004 Dec;52(12):1411-5.
PMID: 15577235 [PubMed - indexed for MEDLINE]
- 27:** [Demirci B, Goppel M, Demirci F, Franz G.](#)
HPLC profiling and quantification of active principles in leaves of *Hedera helix* L.
Pharmazie. 2004 Oct;59(10):770-4.
PMID: 15544055 [PubMed - indexed for MEDLINE]
- 28:** [Forster WA, Zabkiewicz JA, Riederer M.](#)
Mechanisms of cuticular uptake of xenobiotics into living plants: 1. Influence of xenobiotic dose on the uptake of three model compounds applied in the absence and presence of surfactants into *Chenopodium album*, *Hedera helix* and *Stephanotis floribunda* leaves.
Pest Manag Sci. 2004 Nov;60(11):1105-13.
PMID: 15532685 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine
and the National Institutes of Health

- 29:** [Huang C, Fu S, Liang S, Ji Y.](#)
[Relationships between light and physiological characters of five climbing plants]
Ying Yong Sheng Tai Xue Bao. 2004 Jul;15(7):1131-4. Chinese.
PMID: 15506083 [PubMed - indexed for MEDLINE]

- 30:** [Pons TL, de Jong-VAN Berkel YE.](#)
Species-specific variation in the importance of the spectral quality gradient in canopies
as a signal for photosynthetic resource partitioning.
Ann Bot (Lond). 2004 Nov;94(5):725-32. Epub 2004 Sep 16.
PMID: 15374835 [PubMed - indexed for MEDLINE]

- 31:** [Gepdiremen A, Mshvildadze V, Suleyman H, Elias R.](#)
Acute and chronic antiinflammatory effects of Hedera colchica in rats.
J Ethnopharmacol. 2004 Sep;94(1):191-5.
PMID: 15261982 [PubMed - indexed for MEDLINE]

- 32:** [Gulcin I, Mshvildadze V, Gepdiremen A, Elias R.](#)
Antioxidant activity of saponins isolated from ivy: alpha-hederin, hederasaponin-C,
hederacolchiside-E and hederacolchiside-F.
Planta Med. 2004 Jun;70(6):561-3.
PMID: 15241892 [PubMed - indexed for MEDLINE]

- 33:** [Santrucek J, Simanova E, Karbulkova J, Simkova M, Schreiber L.](#)
A new technique for measurement of water permeability of stomatous cuticular
membranes isolated from Hedera helix leaves.
J Exp Bot. 2004 Jun;55(401):1411-22. Epub 2004 May 21.
PMID: 15155780 [PubMed - indexed for MEDLINE]

- 34:** [Ale-Agha N, Feige GB, Christiaans B, Dundar AE.](#)
New and remarkable records of microfungi from Turkey.
Commun Agric Appl Biol Sci. 2003;68(4 Pt B):619-29.
PMID: 15151298 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine
and the National Institutes of Health

- 35:** [Christensen LP, Brandt K, Paulsen E, Andersen KE.](#)
[Guidelines should be based on real knowledge: allergy to ornamental plants is mainly a problem for gardeners]
Ugeskr Laeger. 2004 Jan 19;166(4):289; author reply 289-90. Danish. No abstract available.
PMID: 14964114 [PubMed - indexed for MEDLINE]
- 36:** [Mel'nichenko EG, Kirsanova MA, Grishkovets VI, Tyshkevich LV, Krivorutchenko IuL.](#)
[Antimicrobial activity of saponins from Hedera taurica C a r r.]
Mikrobiol Z. 2003 Sep-Oct;65(5):8-12. Russian.
PMID: 14723156 [PubMed - indexed for MEDLINE]
- 37:** [Jors E.](#)
[The prevalence of skin and mucosal symptoms in gardeners handling Ficus benjamina (weeping fig) and Hedera helix (ivy). A cross-sectional study]
Ugeskr Laeger. 2003 Sep 8;165(37):3526-9. Danish.
PMID: 14531355 [PubMed - indexed for MEDLINE]
- 38:** [Ozdemir C, Schneider LA, Hinrichs R, Staib G, Weber L, Weiss JM, Scharffetter-Kochanek K.](#)
[Allergic contact dermatitis to common ivy (Hedera helix L.)]
Hautarzt. 2003 Oct;54(10):966-9. German.
PMID: 14513244 [PubMed - indexed for MEDLINE]
- 39:** [Suleyman H, Mshvildadze V, Gepdiremen A, Elias R.](#)
Acute and chronic antiinflammatory profile of the ivy plant, Hedera helix, in rats.
Phytomedicine. 2003;10(5):370-4.
PMID: 12834000 [PubMed - indexed for MEDLINE]
- 40:** [Gaillard Y, Blaise P, Darre A, Barbier T, Pepin G.](#)
An unusual case of death: suffocation caused by leaves of common ivy (Hedera helix). Detection of hederacoside C, alpha-hederin, and hederagenin by LC-EI/MS-MS.
J Anal Toxicol. 2003 May-Jun;27(4):257-62.
PMID: 12820750 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine
and the National Institutes of Health

- 41:** [Burghardt M, Riederer M.](#)
Ecophysiological relevance of cuticular transpiration of deciduous and evergreen plants in relation to stomatal closure and leaf water potential.
J Exp Bot. 2003 Aug;54(389):1941-9. Epub 2003 Jun 18.
PMID: 12815029 [PubMed - indexed for MEDLINE]

- 42:** [Maryani MM, Morse MV, Bradley G, Irving HR, Cahill DM, Gehring CA.](#)
In situ localization associates biologically active plant natriuretic peptide immunological analogues with conductive tissue and stomata.
J Exp Bot. 2003 Jun;54(387):1553-64. Epub 2003 Apr 28.
PMID: 12730261 [PubMed - indexed for MEDLINE]

- 43:** [Hofmann D, Hecker M, Volp A.](#)
Efficacy of dry extract of ivy leaves in children with bronchial asthma--a review of randomized controlled trials.
Phytomedicine. 2003 Mar;10(2-3):213-20. Review.
PMID: 12725580 [PubMed - indexed for MEDLINE]

- 44:** [Valcarcel V, Fiz O, Vargas P.](#)
Chloroplast and nuclear evidence for multiple origins of polyploids and diploids of *Hedera* (Araliaceae) in the Mediterranean basin.
Mol Phylogenet Evol. 2003 Apr;27(1):1-20.
PMID: 12679067 [PubMed - indexed for MEDLINE]

- 45:** [Zhang Q, Wu J.](#)
[Pharmacognostical identification on the stem and leaf of *Hedera nepalensis* var. *sinensis*]
Zhong Yao Cai. 1999 Aug;22(8):391-4. Chinese.
PMID: 12571885 [PubMed - indexed for MEDLINE]

- 46:** [Sack L, Melcher PJ, Zwieniecki MA, Holbrook NM.](#)
The hydraulic conductance of the angiosperm leaf lamina: a comparison of three measurement methods.
J Exp Bot. 2002 Nov;53(378):2177-84.
PMID: 12379784 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine
and the National Institutes of Health

- 47:** [Barthomeuf C, Debiton E, Mshvildadze V, Kemertelidze E, Balansard G.](#)
In vitro activity of hederacolchisid A1 compared with other saponins from Hedera colchica against proliferation of human carcinoma and melanoma cells.
Planta Med. 2002 Aug;68(8):672-5.
PMID: 12221585 [PubMed - indexed for MEDLINE]

- 48:** [Grivet D, Petit RJ.](#)
Phylogeography of the common ivy (Hedera sp.) in Europe: genetic differentiation through space and time.
Mol Ecol. 2002 Aug;11(8):1351-62.
PMID: 12144657 [PubMed - indexed for MEDLINE]

- 49:** [Yesudian PD, Franks A.](#)
Contact dermatitis from Hedera helix in a husband and wife.
Contact Dermatitis. 2002 Feb;46(2):125-6. No abstract available.
PMID: 11918618 [PubMed - indexed for MEDLINE]

- 50:** [Schreiber L, Skrabs M, Hartmann KD, Diamantopoulos P, Simanova E, Santrucek J.](#)
Effect of humidity on cuticular water permeability of isolated cuticular membranes and leaf disks.
Planta. 2001 Dec;214(2):274-82.
PMID: 11800392 [PubMed - indexed for MEDLINE]

- 51:** [Vercammen J, Pham-Tuan H, Sandra P.](#)
Automated dynamic sampling system for the on-line monitoring of biogenic emissions from living organisms.
J Chromatogr A. 2001 Sep 28;930(1-2):39-51.
PMID: 11681578 [PubMed - indexed for MEDLINE]

- 52:** [Mekhedov S, Cahoon EB, Ohlrogge J.](#)
An unusual seed-specific 3-ketoacyl-ACP synthase associated with the biosynthesis of petroselinic acid in coriander.
Plant Mol Biol. 2001 Nov;47(4):507-18.
PMID: 11669576 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine
and the National Institutes of Health

- 53:** [Schreiber L.](#)
Effect of temperature on cuticular transpiration of isolated cuticular membranes and leaf discs.
J Exp Bot. 2001 Sep;52(362):1893-900.
PMID: 11520878 [PubMed - indexed for MEDLINE]

- 54:** [Villani P, Orsiere T, Sari-Minodier I, Bouvenot G, Botta A.](#)
[In vitro study of the antimutagenic activity of alphahederin]
Ann Biol Clin (Paris). 2001 May-Jun;59(3):285-9. French.
PMID: 11397676 [PubMed - indexed for MEDLINE]

- 55:** [Buchholz A, Schonherr J.](#)
Thermodynamic analysis of diffusion of non-electrolytes across plant cuticles in the presence and absence of the plasticiser tributyl phosphate.
Planta. 2000 Dec;212(1):103-11.
PMID: 11219574 [PubMed - indexed for MEDLINE]

- 56:** [Hoffmann-Thoma G, van Bel AJ, Ehlers K.](#)
Ultrastructure of minor-vein phloem and assimilate export in summer and winter leaves of the sympatrically loading evergreens *Ajuga reptans* L., *Aucuba japonica* Thunb., and *Hedera helix* L.
Planta. 2001 Jan;212(2):231-42.
PMID: 11216844 [PubMed - indexed for MEDLINE]

- 57:** [Knoll D, Schreiber L.](#)
Plant-Microbe Interactions: Wetting of Ivy (*Hedera helix* L.) Leaf Surfaces in Relation to Colonization by Epiphytic Microorganisms.
. 2000 Jul;40(1):33-42.
PMID: 10977875 [PubMed - as supplied by publisher]

- 58:** [de Medeiros JM, Macedo M, Contancia JP, Nguyen C, Cunningham G, Miles DH.](#)
Antithrombin activity of medicinal plants of the Azores.
J Ethnopharmacol. 2000 Sep;72(1-2):157-65.
PMID: 10967467 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine
and the National Institutes of Health

- 59:** [Bedir E, Kirmizipekmez H, Sticher O, Calis I.](#)
Triterpene saponins from the fruits of *Hedera helix*.
Phytochemistry. 2000 Apr;53(8):905-9.
PMID: 10820801 [PubMed - indexed for MEDLINE]

- 60:** [Oka K, Saito F, Yasuhara T, Sugimoto A.](#)
The allergens of *Dendropanax trifidus* Makino and *Fatsia japonica* Decne. et Planch. and evaluation of cross-reactions with other plants of the Araliaceae family.
Contact Dermatitis. 1999 Apr;40(4):209-13.
PMID: 10208509 [PubMed - indexed for MEDLINE]

- 61:** [Hodisan T, Culea M, Cimpoiu C, Cot A.](#)
Separation, identification and quantitative determination of free amino acids from plant extracts.
J Pharm Biomed Anal. 1998 Nov;18(3):319-23.
PMID: 10096826 [PubMed - indexed for MEDLINE]

- 62:** [Moulin-Traffort J, Favel A, Elias R, Regli P.](#)
Study of the action of alpha-hederin on the ultrastructure of *Candida albicans*.
Mycoses. 1998 Nov;41(9-10):411-6.
PMID: 9916465 [PubMed - indexed for MEDLINE]

- 63:** [Chaffey NJ, Barnett JR, Barlow PW.](#)
Visualization of the cytoskeleton within the secondary vascular system of hardwood species.
J Microsc. 1997 Aug;187(Pt 2):77-84.
PMID: 9316269 [PubMed - indexed for MEDLINE]

- 64:** [Billington T, Pharmawati M, Gehring CA.](#)
Isolation and immunoaffinity purification of biologically active plant natriuretic peptide.
Biochem Biophys Res Commun. 1997 Jun 27;235(3):722-5.
PMID: 9207228 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine
and the National Institutes of Health

- 65:** [Oka K, Saito F, Yasuhara T, Sugimoto A.](#)
The major allergen of *Dendropanax trifidus* Makino.
Contact Dermatitis. 1997 May;36(5):252-5. Erratum in: Contact Dermatitis 1997 Sep;37(3):143.
PMID: 9197960 [PubMed - indexed for MEDLINE]

- 66:** [Trute A, Nahrstedt A.](#)
Identification and Quantitative Analysis of Phenolic Compounds from the Dry Extract of *Hedera helix**.
Planta Med. 1997 Apr;63(2):177-9.
PMID: 17252341 [PubMed - in process]

- 67:** [Trute A, Gross J, Mutschler E, Nahrstedt A.](#)
In vitro antispasmodic compounds of the dry extract obtained from *Hedera helix*.
Planta Med. 1997 Apr;63(2):125-9.
PMID: 9140224 [PubMed - indexed for MEDLINE]

- 68:** [Amara-Mokrane YA, Lehucher-Michel MP, Balansard G, Dumenil G, Botta A.](#)
Protective effects of alpha-hederin, chlorophyllin and ascorbic acid towards the induction of micronuclei by doxorubicin in cultured human lymphocytes.
Mutagenesis. 1996 Mar;11(2):161-7.
PMID: 8671733 [PubMed - indexed for MEDLINE]

- 69:** [Facino RM, Carini M, Stefani R, Aldini G, Saibene L.](#)
Anti-elastase and anti-hyaluronidase activities of saponins and sapogenins from *Hedera helix*, *Aesculus hippocastanum*, and *Ruscus aculeatus*: factors contributing to their efficacy in the treatment of venous insufficiency.
Arch Pharm (Weinheim). 1995 Oct;328(10):720-4.
PMID: 8554461 [PubMed - indexed for MEDLINE]

- 70:** [Garcia M, Fernandez E, Navarro JA, del Pozo MD, Fernandez de Corres L.](#)
Allergic contact dermatitis from *Hedera helix* L.
Contact Dermatitis. 1995 Aug;33(2):133-4. No abstract available.
PMID: 8549138 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine
and the National Institutes of Health

- 71:** [Johnke H, Bjarnason B.](#)
[Contact dermatitis allergy to common ivy (*Hedera helix* L.)]
Ugeskr Laeger. 1994 Jun 20;156(25):3778-9. Danish.
PMID: 8059459 [PubMed - indexed for MEDLINE]

- 72:** [Danloy S, Quetin-Leclercq J, Coucke P, De Pauw-Gillet MC, Elias R, Balansard G, Angenot L, Bassleer R.](#)
Effects of alpha-hederin, a saponin extracted from *Hedera helix*, on cells cultured in vitro.
Planta Med. 1994 Feb;60(1):45-9.
PMID: 8134416 [PubMed - indexed for MEDLINE]

- 73:** [Saxe H.](#)
Relative sensitivity of greenhouse pot plants to long-term exposures of NO- and NO2-containing air.
Environ Pollut. 1994;85(3):283-90.
PMID: 15091658 [PubMed]

- 74:** [Murray JR, Hackett WP.](#)
Dihydroflavonol Reductase Activity in Relation to Differential Anthocyanin Accumulation in Juvenile and Mature Phase *Hedera helix* L.
Plant Physiol. 1991 Sep;97(1):343-351.
PMID: 16668393 [PubMed - as supplied by publisher]

- 75:** [Majester-Savornin B, Elias R, Diaz-Lanza AM, Balansard G, Gasquet M, Delmas F.](#)
Saponins of the ivy plant, *Hedera helix*, and their leishmanicidal activity.
Planta Med. 1991 Jun;57(3):260-2.
PMID: 1896525 [PubMed - indexed for MEDLINE]

- 76:** [Karlsson PE, Assmann SM.](#)
Rapid and Specific Modulation of Stomatal Conductance by Blue Light in Ivy (*Hedera helix*) : An Approach to Assess the Stomatal Limitation of Carbon Assimilation.
Plant Physiol. 1990 Oct;94(2):440-447.
PMID: 16667732 [PubMed - as supplied by publisher]



A service of the National Library of Medicine
and the National Institutes of Health

- 77:** [Elias R, De Meo M, Vidal-Ollivier E, Laget M, Balansard G, Dumenil G.](#)
Antimutagenic activity of some saponins isolated from *Calendula officinalis* L., *C. arvensis* L. and *Hedera helix* L.
Mutagenesis. 1990 Jul;5(4):327-31.
PMID: 2204784 [PubMed - indexed for MEDLINE]
- 78:** [Demmig-Adams B, Winter K, Kruger A, Czygan FC.](#)
Light Response of CO(2) Assimilation, Dissipation of Excess Excitation Energy, and Zeaxanthin Content of Sun and Shade Leaves.
Plant Physiol. 1989 Jul;90(3):881-886.
PMID: 16666892 [PubMed - as supplied by publisher]
- 79:** [Gafner F, Epstein W, Reynolds G, Rodriguez E.](#)
Human maximization test of falcarinol, the principal contact allergen of English ivy and Algerian ivy (*Hedera helix*, *H. canariensis*).
Contact Dermatitis. 1988 Aug;19(2):125-8.
PMID: 3180778 [PubMed - indexed for MEDLINE]
- 80:** [Massmanian A, Valcuende Cavero F, Ramirez Bosca A, Castells Rodellas A.](#)
Contact dermatitis from variegated ivy (*Hedera helix* subsp. *canariensis* Willd.).
Contact Dermatitis. 1988 Apr;18(4):247-8. No abstract available.
PMID: 3378437 [PubMed - indexed for MEDLINE]
- 81:** [Hausen BM, Brohan J, Konig WA, Faasch H, Hahn H, Bruhn G.](#)
Allergic and irritant contact dermatitis from falcarinol and didehydrofalcarinol in common ivy (*Hedera helix* L.).
Contact Dermatitis. 1987 Jul;17(1):1-9.
PMID: 3652685 [PubMed - indexed for MEDLINE]
- 82:** [Demmig B, Winter K, Kruger A, Czygan FC.](#)
Photoinhibition and Zeaxanthin Formation in Intact Leaves : A Possible Role of the Xanthophyll Cycle in the Dissipation of Excess Light Energy.
Plant Physiol. 1987 Jun;84(2):218-224.
PMID: 16665420 [PubMed - as supplied by publisher]



A service of the National Library of Medicine
and the National Institutes of Health

- 83:** [Guin JD, Skidmore G.](#)
Compositae dermatitis in childhood.
Arch Dermatol. 1987 Apr;123(4):500-2.
PMID: 3827282 [PubMed - indexed for MEDLINE]

- 84:** [Aphalo PJ, Sanchez RA.](#)
Stomatal Responses to Light and Drought Stress in Variegated Leaves of Hedera helix.
Plant Physiol. 1986 Jul;81(3):768-773.
PMID: 16664900 [PubMed - as supplied by publisher]

- 85:** [Julien J, Gasquet M, Maillard C, Balansard G, Timon-David P.](#)
Extracts of the Ivy Plant, Hedera helix, and their Anthelmintic Activity on Liver Flukes.
Planta Med. 1985 Jun;51(3):205-8.
PMID: 17340479 [PubMed - in process]

- 86:** [Julien J, Gasquet M, Maillard C, Balansard G, Timon-David P.](#)
Extracts of the ivy plant, Hedera helix, and their anthelmintic activity on liver flukes.
Planta Med. 1985 Jun;(3):205-8. No abstract available.
PMID: 4034744 [PubMed - indexed for MEDLINE]

- 87:** [Boyle J, Harman RM.](#)
Contact dermatitis to Hedera helix (common ivy).
Contact Dermatitis. 1985 Feb;12(2):111-2. No abstract available.
PMID: 3987251 [PubMed - indexed for MEDLINE]

- 88:** [Riederer M, Schonherr J.](#)
Accumulation and transport of (2,4-dichlorophenoxy)acetic acid in plant cuticles: I. Sorption in the cuticular membrane and its components.
Ecotoxicol Environ Saf. 1984 Jun;8(3):236-47.
PMID: 6734501 [PubMed - indexed for MEDLINE]



A service of the National Library of Medicine
and the National Institutes of Health

- 89:** [Cullen D, Smalley EB, Dimond RL.](#)
Heterokaryosis in *Fusarium tricinctum* and *F. sporotrichioides*.
J Gen Microbiol. 1983 Oct;129(10):3035-41.
PMID: 6581272 [PubMed - indexed for MEDLINE]

- 90:** [Mitchell JC.](#)
Allergic contact dermatitis from *Hedera helix* and *Brassaia actinophylla* (Araliaceae).
Contact Dermatitis. 1981 May;7(3):158-9. No abstract available.
PMID: 6456115 [PubMed - indexed for MEDLINE]

- 91:** [Timon-David P, Julien J, Gasquet M, Balansard G, Bernard P.](#)
[Research of antifungal activity from several active principle extracts from climbing-ivy:
Hedera helix L (author's transl)]
Ann Pharm Fr. 1980;38(6):545-52. French. No abstract available.
PMID: 7283353 [PubMed - indexed for MEDLINE]

- 92:** [Stout DG, Steponkus PL.](#)
Nuclear Magnetic Resonance Relaxation Times and Plasmalemma Water Exchange in
Ivy Bark.
Plant Physiol. 1978 Oct;62(4):636-641.
PMID: 16660574 [PubMed - as supplied by publisher]

- 93:** [Cioaca C, Margineanu C, Cucu V.](#)
The saponins of *Hedera helix* with antibacterial activity.
Pharmazie. 1978 Sep;33(9):609-10. No abstract available.
PMID: 733881 [PubMed - indexed for MEDLINE]

- 94:** [Stout DG, Steponkus PL.](#)
Quantitative Study of the Importance of Water Permeability in Plant Cold Hardiness.
Plant Physiol. 1977 Sep;60(3):374-378.
PMID: 16660096 [PubMed - as supplied by publisher]



A service of the National Library of Medicine
and the National Institutes of Health

- 95:** [Mahran GH, Hilal SH, el-Alfy TS.](#)
The isolation and characterisation of emetine alkaloid from Hedera helix.
Planta Med. 1975 Mar;27(2):127-32. No abstract available.
PMID: 1121525 [PubMed - indexed for MEDLINE]

- 96:** [Rogler CE, Dahmus ME.](#)
Gibberellic Acid-induced Phase Change in Hedera helix as Studied by Deoxyribonucleic Acid-Ribonucleic Acid Hybridization.
Plant Physiol. 1974 Jul;54(1):88-94.
PMID: 16658844 [PubMed - as supplied by publisher]

- 97:** [Schottek W.](#)
[Hedera helix products in the prevention and therapy of irritant gas intoxications]
Berufsdermatosen. 1972 Apr;20(2):88-92. German. No abstract available.
PMID: 5049466 [PubMed - indexed for MEDLINE]

- 98:** [Steponkus PL.](#)
Cold Acclimation of Hedera helix: Evidence for a Two Phase Process.
Plant Physiol. 1971 Feb;47(2):175-180.
PMID: 16657589 [PubMed - as supplied by publisher]

- 99:** [Whistance GR, Threlfall DR.](#)
Biosynthesis of phytoquinones. Biosynthetic origins of the nuclei and satellite methyl groups of plastoquinone, tocopherols and tocopherolquinones in maize shoots, bean shoots and ivy leaves.
Biochem J. 1968 Oct;109(4):577-95.
PMID: 5683508 [PubMed - indexed for MEDLINE]

- 100:** [Steponkus PL, Lanphear FO.](#)
The Role of Light in Cold Acclimation of Hedera helix L. var. Thorndale.
Plant Physiol. 1968 Feb;43(2):151-156.
PMID: 16656748 [PubMed - as supplied by publisher]



A service of the National Library of Medicine
and the National Institutes of Health

- 101:** [Steponkus PL, Lanphear FO.](#)
Light Stimulation of Cold Acclimation: Production of a Translocatable Promoter.
Plant Physiol. 1967 Dec;42(12):1673-1679.
PMID: 16656705 [PubMed - as supplied by publisher]

- 102:** [Parker J.](#)
Relationships among cold hardiness, water-soluble protein, anthocyanins, & free sugars
in Hedera helix L.
Plant Physiol. 1962 Nov;37(6):809-13. No abstract available.
PMID: 16655734 [PubMed]

- 103:** [CORTESE R, WEBER HR.](#)
[Research on some vitamins in climbing ivy (Hedera helix L.).]
Boll Chim Farm. 1958 Mar;97(3):131-7. French. No abstract available.
PMID: 13535990 [PubMed - indexed for MEDLINE]

- 104:** [BRESCIA D.](#)
[Use of a Hedera helix preparation in whooping-cough.]
Minerva Pediatr. 1958 Jan 14;10(1-2):31-4. Italian. No abstract available.
PMID: 13541133 [PubMed - OLDMEDLINE]

- 105:** [GOLDMAN L, MUEGEL HR, PRESTON RH.](#)
Dermatitis venenata from English ivy (Hedera helix).
AMA Arch Derm. 1956 Sep;74(3):311-2. No abstract available.
PMID: 13361502 [PubMed - indexed for MEDLINE]

- 106:** [LYS P, ABDO R, ADES J, CHILAZI J.](#)
[Use of English ivy, Hedera helix L., in the treatment of whooping cough.]
Rev Med Moyen Orient. 1950 Apr-Jun;7(2):206-11. Undetermined Language. No abstract available.
PMID: 15441645 [PubMed - OLDMEDLINE]